



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
|-----------------|-------------|----------------------|---------------------|------------------|

10/806,380

03/23/2004

Dong-gyun Ra

AB-1704 US

1827

32605

7590

04/21/2009

Haynes and Boone, LLP

IP Section

2323 Victory Avenue

SUITE 700

Dallas, TX 75219

EXAMINER

CHOWDHURY, AFROZA Y

ART UNIT

PAPER NUMBER

2629

MAIL DATE

DELIVERY MODE

04/21/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | | | |
|------------------------------|--|--------------------------------------|--|
| Office Action Summary | Application No. 10/806,380 | Applicant(s) RA, DONG-GYUN | |
| | Examiner AFROZA Y. CHOWDHURY | Art Unit 2629 | |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 January 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8 and 10-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8 and 10-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. Applicant's amendment received on **January 27, 2009** has been entered. Claims 1-8 and 10-17 are currently pending. Applicant's arguments are addressed herein below.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1–8, 12, and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Lee et al.** (US Pub. 2002/0057247) in view of **Yu** (US Patent 6,753,855) and in further view of **Buell** (US Patent 6,091,164).

As to claim 4, Lee et al. discloses a liquid crystal display device, comprising: a liquid crystal module including a liquid crystal panel, a gate driving unit (fig. 3(200)) for delivering scanning signals to the liquid crystal panel, and a data driving unit [fig. 3(300)] for delivering image signals to the liquid crystal panel (fig. 3);

a timing controller (fig. 6(100)) for providing timing signal used to control display of the liquid crystal module (page 4, [0099] – [0100], page 5, [0121] – [0122]);

a mode setting unit (fig.6(400, 520)) for outputting a control signal according to a selected display mode (page 1, [0020], pages 4-5, [0100] – [0102], [0105]);

an inverter control unit (fig. 6(510)) for selectively outputting the timing signal received from the timing controller according to the control signal from the mode setting unit;

an inverter (fig. 6(700)) which is operated in synchronous mode when the timing signal is received from the inverter control unit (fig. 6(510, switching unit), pages 4-5, [0104] – [0105]); and

a lamp (fig. 6(800)) which is operated at a relevant frequency according to the operation mode of the inverter (fig. 3, page 5, [0105] – [0107]),

wherein the lamp emits light in synchronism with the timing signal during the synchronous mode (fig. 6, page 5, [0105] – [0107]).

Lee et al. does not teach an inverter which is operated in an asynchronous mode when the timing signal is not received from the inverter control unit and the lamp emits light asynchronously with the timing signal during the asynchronous mode.

Yu teaches an EL lamp where an inverter which is operated in an asynchronous mode and the lamp emits light asynchronously with the timing signal during the asynchronous mode (col. 1, lines 43-49, col. 2, lines 9-55).

Therefore, it would have been obvious to one skill in the art at the time of the invention was made to incorporate Yu's idea of driving lamp that emits light asynchronously into the liquid crystal display device (LCD) of Lee et al. to make a LCD

Art Unit: 2629

device where an inverter operates in synchronous or asynchronous mode with reduced lighting malfunction.

Lee et al. (as modified by Yu) does not explicitly teach an inverter which is operated in both modes synchronous and asynchronous.

Buell teaches an EL lamp which is operated in both modes synchronous and asynchronous (col. 3, lines 45-57).

Therefore, it would have been obvious to one skill in the art at the time of the invention was made to incorporate Buell's idea of driving a lamp that operates in both modes synchronous and asynchronous into the liquid crystal display device (LCD) of Lee et al. (as modified by Yu) to make a LCD device where an inverter operates both in synchronous and asynchronous mode where the lamp emits light synchronously and asynchronously according to the mode of operation in order to maintain increased brightness.

Claims 1 and 8 are rejected the same as claim 4 above.

As to claims 2, 5, and 12, Lee et al. teaches a liquid crystal display device wherein the timing signal is a gate select signal or data clock signal (fig. 3, page 4, [0093], [0096] – [0097]).

As to claims 3, 6, and 13, Lee et al. discloses a liquid crystal display device wherein the timing signal is a vertical or horizontal synchronous signal (fig. 4, pages 4-5, [0104] – [0105]).

As to claim 7, Lee et al. teaches a liquid crystal display device wherein the mode setting unit is included in the timing controller (page 1, [0020], pages 4-5, [0100] – [0102], [0105]).

4. Claims 10, 11, and 14-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Lee et al.** (US 2002/0057247) in view of **Yu** (US Patent 6,753,855) and in further view of **Buell** (US Patent 6,091,164) and **Park** (US 20020130830).

As to claim 10, Lee et al. (as modified by Yu and Buell) discloses a liquid crystal display device, comprising: a liquid crystal module including a liquid crystal panel, a gate driving unit (fig. 3(200) in Lee et al.) for delivering scanning signals to the liquid crystal panel, and a data driving unit (fig. 3(300) in Lee et al.) for delivering image signals to the liquid crystal panel (fig. 3 in Lee et al.).

Lee et al. (as modified by Yu and Buell) does not explicitly teach a method wherein the steps of outputting a first level control signal when the display mode is the moving-image mode, or outputting a second level control signal when the display mode is the still-image mode.

Park teaches a method wherein the steps of outputting a first level control signal when the display mode is the moving-image mode, or outputting a second level control signal when the display mode is the still-image mode (page 4, [0070] – [0071], page 5, [0077] – [0078]).

Therefore, it would have been obvious to one skill in the art at the time of the invention was made to include Park's idea of using separate level of control modes into the LCD device of Lee et al. (as modified by Yu and Buell) to develop a liquid crystal device with two different level of control modes for moving-image and still-image in order to reduce lighting malfunction.

As to claim 11, Park discloses a method wherein the steps of outputting the timing signal received from the outside when the second level control signal is applied, or not outputting the timing signal received from the outside when the second level control signal is applied (page 5, [0077] – [0078], [0080]).

As to claims 14 and 15, Park teaches a liquid crystal display device wherein the display mode is either a moving-image or a still-image mode (page 1, [0010]).

As to claim 16, Lee et al. teaches a liquid crystal display device wherein the operation of the lamp is synchronized with the timing signal (page 5, [0105]).

Lee et al. does not explicitly teach wheather the display mode is the still-image mode when the operation of the lamp is synchronized with the timing signal.

However, it would be obvious for a liquid crystal display device wherein the operation of the lamp is synchronized with the timing signal when the display mode is the still-image mode.

As to claim 17, Lee et al. teaches a liquid crystal display device with an OCD (Optical Compensated Birefringency) mode (page 3, [0097]).

He does not teach moving image or still image mode.

Park discloses LCD having a driving method of moving picture and still-image mode (page 1, [0010] – [0011], page 5, [0077] – [0078]).

Therefore, it would be obvious to combine Park's method with the invention of Lee et al. to adapt a method wherein the display mode is either moving-image or still-image mode.

Response to Arguments

5. Applicant's arguments with respect to claims 1-8 and 10-17 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to AFROZA Y. CHOWDHURY whose telephone number is (571)270-1543. The examiner can normally be reached on 7:30-5:00 EST, 5/4/9.

Art Unit: 2629

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on 571-272-7681. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AC
4/16/2009

/Bipin Shalwala/
Supervisory Patent Examiner, Art
Unit 2629